




Let's Eat!

**A Dallas Area Restaurant
Access Guide**

**For
People With Disabilities**

**Developed by
REACH of DALLAS**

1994



Dallas Area
Restaurant Access Guide
for
People with Disabilities

Developed by



Copyright © 1993 by REACH of Dallas

8625 King George, Suite 210

Dallas, Texas 75235

Phone (214) 630-4796

TDD/TTY (214) 630-5995

FAX (214) 630-6390

All rights reserved. No part of this publication may be reproduced by any means in any form without written permission from the publisher.

The contents of this book were developed under a grant from the Department of Education. However, the contents do not necessarily represent the policy of the Department of Education and the reader should not assume endorsement by the Federal Government.

Foreword

Most residents of the Dallas/Fort Worth Metroplex take for granted the opportunities they have to choose their own living arrangements, careers, means of transportation, social/recreational activities, and family life. For many people with disabilities, however, physical and attitudinal barriers in the Metroplex severely limit their freedom of choice in these matters. This access guide was compiled in an effort to provide information which will open doors, enhance freedom of choice, and eliminate barriers.

The concept for this book was developed by the staff at the REACH of Dallas Resource Center on Independent Living. The Center is a project of the Dallas/Fort Worth based consumer-controlled, cross disability, advocacy organization, REACH, Inc. REACH stands for Rehabilitation, Education, and Advocacy for Citizens with Handicaps.

REACH, Inc. incorporated as a non-profit organization in 1987 with the mission of empowering people with disabilities living in the Metroplex to increase their self-determination and actively participate in community life. REACH, Inc. assists people with disabilities in achieving this goal by providing them with information about community options and by providing direct services through the administration of centers for independent living in both Dallas and Fort Worth.

At REACH of Dallas, an array of services including information and referral, peer counseling, individual and systems advocacy, independent living skills training, volunteer assistance, ADA technical assistance, employment assistance, social/recreational activities, braille assistance, and loaner adaptive equipment are available to empower people with disabilities to take charge of their lives.

Please enjoy using this book. And good eating, too!

Charlotte A. Stewart

Executive Director

REACH Resource Centers on Independent Living

September 1993

How To Use This Access Guide

This book was designed to inform people with disabilities who enjoy dining out about the accessibility of local eateries. Often, when a person with a disability decides to eat out they have to decide what type of restaurant to patronize and also question its accessibility. This guide will help eliminate one decision you will have to make!

Our staff developed a checklist to use when surveying the restaurants listed in this book. Volunteers were recruited and then received training on the Americans with Disabilities Act (ADA), how to complete the survey form, and how to use the measuring tools. Volunteers were given "x" amount of restaurants, in an area they chose, to survey. The information gathered by the volunteers is contained in this book.

Definitions

Not accessible—A person who uses a wheelchair would have difficulty entering/using this area.

Accessible—Meets the *Americans with Disabilities Act* Guidelines (ADAAG).

Partially Accessible—Some areas are accessible, but not all; i.e., the toilet stall meets ADAAG, but the towel and soap dispensers do not.

N/A—Not applicable.

TDD/TTY—Telecommunication Device for the Deaf/Tele-Type-writer.

Relay Texas Service—The statewide telephone interpreting service between people who can hear and those who are deaf, hard of hearing, deaf-blind, and speech-disabled.

Spaces—The number of handicapped designated parking spaces.

Tables—Accessible if measured 34" from floor to top surface.

Surface stable—An immovable, even surface.

If you have questions about this guide or would like to obtain additional copies, please call the REACH of Dallas office at 214/630-4796 (Voice) or 214/630-5995 (TDD/TTY). If you have questions about a particular restaurant, please call the restaurant directly by using the telephone number listed with their accessibility information.

Special Thanks...

We wish to express our appreciation to the following individuals whose vital contributions as volunteers/site surveyors made this Restaurant Access Guide possible:

Jack Adams

John Johnson

Dyan Brinson

C.E. (Ed) Jordan

George Brock

Bill LeRoy

Dr. Yolanda Brooks

Lillian Lewey

Ria Budiantara

Brian S. Loiacono

Dorothy Burns

Betty Munson

Vicki Darais

Bobbi Norton

Terry Demarest

Nancy Premetz

Julie Espinoza

Michelle Roberts

Myrna Gorchoff

Charlie Robinson

Jeane Henry

Ted Robinson

Dana Hill

Joe Rowe

Anne L. Hines

Vicky Sinwell

John Houston

Natalie Stormer

Dee Huff

Teri Summers

Susan Hughes

Sara Tener

Doug Johnson

Special recognition and thanks are due to **Sheri Harlan**, access guide project consultant. Sheri's endless energy, enthusiasm, creativity, professionalism, persistence, and patience in coordinating the various aspects of this project including recruitment, training, and supervision of the volunteers, solicitation of printing bids, development of the

layout, review and editing of the surveys, and distribution of the book was invaluable. If it had not been for Sheri, this book would not exist.

Thanks also to **Anne Hines**, a member of the REACH, Inc. board of directors, for her creative and eye-catching cover design. And to **Rich Getz** for the striking map pages.

And last, but certainly not least, thanks to REACH of Dallas staff **Kris Herron**, Assistant Director, **Julie Espinoza**, PR/Skills Training Specialist, **Linda Johnstone**, ADA/I&R Specialist, and **Roseann Nolan**, Secretary, for their creative ideas, time, and talent in training the volunteers, reviewing the surveys, typing the layout, and editing the copy.



Denied Access...

We are unable to give an accurate accounting of the accessibility of the following restaurants. Our site surveyors were denied access into these establishments:

August Moon

15030 Preston Road
Dallas, TX
(214) 385-7227

Chu's

15080 Belt Line
Addison, TX
(214) 387-1776

Del Frisco's Double Eagle

4300 Lemmon Avenue
Dallas, TX
(214) 526-9811

Good Eats

3531 Oak Lawn
Dallas, TX
(214) 522-3287

Le Peep

4201 Belt Line
Addison, TX
(214) 458-8062

The Palm

701 Ross Avenue
Dallas, TX
(214) 698-0470

Wine Press

4217 Oak Lawn
Dallas, TX
(214) 522-8720

Table of Contents

Foreword	iii
How to Use This Guide	iv
Special Thanks	v
Denied Access	vii
Addison Area	1
Deep Ellum Area	51
Lower Greenville Avenue Area	64
McKinney Avenue Area	78
Oak Lawn/Cedar Springs Area	101
Restaurant Row/Composite Drive Area	116
West End Area	125
Potential Violations	139
Index	147

ADDISON AREA

Addison Cafe
5290 Belt Line
(214) 991-8824

Atchafalaya Cafe
4440 Belt Line
(214) 960-6878

Atlantic Cafe TOO
14866 Montfort
(214) 960-2233

Bay Street
14655 Dallas Pkwy
(214) 991-1033

Bella Vita
14131 Midway
(214) 233-2697

Benedicts
4900 Belt Line
(214) 490-0500

Bennigan's
5260 Belt Line
(214) 233-2107

Black-Eyed Pea
4460 Belt Line
(214) 701-0165

Forbidden City
5290 Belt Line
(214) 960-2999

Fuddruckers
5080 Belt Line
(214) 702-9207

Good Eats
14905 Midway
(214) 392-3287


Grady's American Grill
4525 Belt Line
(214) 991-0008

Houston's
5318 Belt Line
(214) 960-1752

Humperdinks
4021 Belt Line
(214) 934-2612

Jasmine
4002 Belt Line
(214) 991-6867

Jason's Deli
4021 Belt Line
(214) 239-0074



ADDISON AREA

- | | |
|------------------------|-----------------------|
| Judge Roy Beans | Cantina Laredo |
| 14920 Midway | 4546 Belt Line |
| (214) 980-4400 | (214) 458-0962 |
| Cafe Capri | Chili's |
| 15107 Addison | 4291 Belt Line |
| (214) 960-8686 | (214) 233-0380 |
| Cafe Gecko | Copeland's |
| 5290 Belt Line | 5353 Belt Line |
| (214) 458-9884 | (214) 661-1883 |



ADDISON AREA

Key West Grill

5348 Belt Line
(214) 458-0444

Kobe Steak

Restaurant & Lounge
5000 Belt Line
(214) 934-8150

Magic Time Machine

5003 Belt Line
(214) 980-1903

Massimo's Da Milano

5100 Belt Line
(214) 661-5255

Snuffers

14190 Midway
(214) 991-8811

Solly's Barbeque

4801 Belt Line
(214) 387-2900

Spaghetti Warehouse

3820 Belt Line
(214) 241-7877

Taiwan Restaurant

4980 Belt Line
(214) 387-2353

Texas Tumbleweed

Steak House
14775 Midway
(214) 934-8958

Tia's

14905 Midway
(214) 392-9468

T.G.I. Friday's

5100 Belt Line
(214) 386-5824

Tony Roma's

5000 Belt Line
(214) 661-2671

May Dragon

4848 Belt Line
(214) 392-9998

McArthur's

in Harvey Hotel
14315 Midway
(214) 980-8877

Mercado Juarez

4050 Belt Line
(214) 458-2145

Mi Piaci

14854 Montfort
(214) 934-8424

Monte Carlo

in Grand
Kempinski Hotel
15201 Dallas Pkwy
(214) 386-6000

Mr. Sushi

4860 Belt Line
(214) 385-0168

Mucky Duck in

Prestonwood Mall
5301 Belt Line
1037
(214) 239-6702

On The Border

4400 Belt Line
(214) 788-4400

Remington's

Seafood Grill
4580 Belt Line
(214) 386-0122

Romano's

Macaroni Grill
4535 Belt Line
(214) 386-3831

Sfuzzi

15107 Addison Rd
(214) 960-2606

Shoney's

4060 Belt Line
(214) 490-5778

Simply Fondue

4900 Belt Line
(214) 960-7027

ADDISON CAFE**5290 BELT LINE RD****ADDISON, TX****214/991-8824****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): None
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Narrow
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Women's: No information
 Men's: Partially accessible

PROBLEMS IDENTIFIED

Approach to restroom is difficult to maneuver. Men's restroom stall, commode, sink rim/counter, soap dispenser, towel holder, and mirror are not accessible.

COMMENTS

No braille, large print, or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

ATCHAFALAYA CAFE

4440 BELT LINE RD

ADDISON, TX

214/960-6878

PARKING

Accessible
 Spaces: 2
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Booths & Chairs
 Tables: Accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED


Main front doors are heavy to open. Bar area chairs are high. Restroom stall doors swing inward. Restroom soap dispenser not accessible.

COMMENTS

Parking signage is above only. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

ATLANTIC CAFE TOO!**14866 MONTFORT DR****ADDISON, TX****214/960-2233****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): None
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Partially accessible
 Stairs to Seating: Yes, in lounge area
 Outdoor Seating: None

RESTROOMS

Women's: Partially accessible
 Men's: No information

PROBLEMS IDENTIFIED

Main front doors are too narrow and heavy. Door handles are not accessible. Women's restroom grab bars are partially accessible; sink rim/counter and mirror are not accessible. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus available. Wait staff will read menu, if requested. 90 degree turn into bathroom stall. Public telephone available; coin slot not accessible; Telephone is not amplified. No electrical outlet close to telephone for TDD/TTY usage. Employees are not familiar with Relay Texas Service.

BAY STREET
14655 DALLAS PKWY
DALLAS, TX

214/991-1033

PARKING



Not accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE



Accessible: Ramp
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Partially accessible
 Stairs to Seating: Yes
 Outdoor Seating: None



RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Restroom commode and towel holder are not accessible. Fire alarms are audible only.

COMMENTS

If in wheelchair, we advise calling ahead due to limited seating on main floor. No braille, large print or picture menus available. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. Public telephone is not amplified. Electrical outlet close to telephone for TDD/TTY usage. Employees are familiar with Relay Texas service.

BELLA VITA
14131 MIDWAY RD
DALLAS, TX

214-233-2697

PARKING



Not accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide in one area
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS



Women's: Not accessible
 Men's: No information

PROBLEMS IDENTIFIED

Parking spaces are not wide enough. Main front door handles are not accessible. In women's restroom one stall swings inward, the other swings outward; stall doors are too narrow. Women's restroom commode and mirror are not accessible.

COMMENTS

Interior dining area has one part that is accessible and can accommodate wheelchairs. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

BENEDICTS

4900 BELT LINE RD
ADDISON, TX

214/490-0500

PARKING

Accessible
Spaces: 1
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp & level ground
Door(s): Partially accessible
Surface: Industrial carpet

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: None
Stairs to Seating: Yes
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow and heavy. Door handles are not accessible. Restroom stall doors are too narrow. Restroom sink area has a cabinet underneath.

COMMENTS

Parking area is behind restaurant. No braille, large print or picture menus. Wait staff will read menu, if requested. Self-service; wait staff available for assistance. Steps to seating in some areas. Public telephone available; coin slot is accessible. Electrical outlet close to telephone for TDD/TTY usage.

BENNIGAN'S
5260 BELT LINE RD
ADDISON, TX

214/233-2107

PARKING



Partially accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60". Second set of main front door handles are high. Restrooms are not wide enough for easy access.

COMMENTS

Braille, large print and picture menus are available. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage.

BLACK-EYED PEA

4460 BELT LINE RD

ADDISON, TX

214/701-0165

PARKING

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Tile flooring

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Fire alarms are visual only.

COMMENTS

No braille, large print or picture menus available. Wait staff will read menu, if requested. Public telephone available; coin slot not accessible. No electrical outlet close to telephone for TDD/TTY usage. Employees not familiar with Relay Texas Service.

CAFE CAPRI
15107 ADDISON RD
ADDISON, TX

214/960-8686

PARKING



Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Ramp
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Main front entrance doors are heavy to open and handles are difficult to use. Restroom commode is not accessible. Restroom stall is not deep enough. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. Telephone is amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

CAFE GECKO

5290 BELT LINE RD
ADDISON, TX

214/458-9884

PARKING

Accessible
Spaces: No information
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Narrow
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Partially accessible
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

For aisles to be accessible tables need to be moved further apart. The bar is too high for patrons in wheelchairs. Men's restroom stall doors, commode, toilet paper dispenser, sink hardware, towel holder and mirror are not accessible. Women's restroom stall is not deep enough; commode, grab bars, sink hardware and mirror are not accessible.

COMMENTS

Parking signage is below only. Self-service available; wait staff is available for assistance. Large print menus available. No braille or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

CANTINA LAREDO**4546 BELT LINE RD****ADDISON, TX****214/458-0962****PARKING**

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Level ground
 Door(s) Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; no information
 Stairs to Seating: None
 Outdoor Seating: Yes; not accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Welcome mat may cause patrons to trip. Women's restroom has two (2) stalls; one is accessible and the other is not. Restroom commode, grab bars and mirror are not accessible.

COMMENTS

No braille, large print or picture menus available. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. No electrical outlet close to telephone for TDD/TTY usage. Restroom sink hardware is temperature sensitive. Accessible parking spaces on each side of restaurant.

CHILI'S

429I BELT LINE RD
ADDISON, TX

214/233-0380

PARKING

Accessible
Spaces: (2)
Curb Cut(s): Yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
Door(s) Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Booths & chairs
Tables: Accessible
Lounge/Bar: Partially accessible
Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Lounge/bar area has high chairs and tables. Booths in bar area have one step up.

COMMENTS

Parking signage is above ground only. No braille, large print or picture menus available. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. Electrical outlet close to the telephone for TDD/TTY usage.

COPELAND'S
5353 BELT LINE RD
ADDISON, TX

214/661-1883

PARKING



Partially accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Ramp
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow and heavy to open. Restrooms' toilet paper dispensers and sink hardware are not accessible. Men's restroom towel holder is not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille or large print menus available at the time of this survey. Management is in the process of getting braille menus. Pictures are available of every item on menu; by request. Wait staff will read menu, if requested. Fire alarm is audible/visual. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

FORBIDDEN CITY**5290 BELT LINE****ADDISON, TX****214/960-2999****PARKING**

Not accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Level Ground & 3/4" elevated tile
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: In one area
 Outdoor Seating: None

**RESTROOMS**

Women's: Partially accessible
 Men's: No information

PROBLEMS IDENTIFIED

Women's restroom toilet paper dispenser and sink hardware are not accessible. No audible/visual fire alarms. Entrance sidewalk changes to tile.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. No electrical outlet close to telephone for TDD/TTY usage.

FUDDRUCKERS

**5080 BELT LINE RD
ADDISON, TX**

214/702-9207**PARKING**

Accessible
Spaces: 2 on each level
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Partially accessible
Surface: Tile; slippery

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: None
Stairs to Seating: Yes; in one area
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow and too heavy. Door may be left open. One dining area has stairs to seating. Restrooms' toilet paper dispenser and sink hardware are not accessible. Men's restroom grab bars are partially accessible.

COMMENTS

Parking is in garage area and outdoor parking lot. Vehicles taller than 6-ft.-7 will not fit in parking garage. Two handicapped parking spaces on each level of parking garage with three levels in all. Parking signage is above and below. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

GOOD EATS

14905 MIDWAY RD
DALLAS, TX

214/392-3287

PARKING

Partially accessible
Spaces: 1
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Partially accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not Accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Restroom grab bars are to the side only. Restroom sink/rim counter is not accessible. Cigarette machine is blocking entrance to restrooms.

COMMENTS

No braille, large print or picture menus. Public telephone available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

GRADY'S AMERICAN GRILL**4525 BELT LINE RD****ADDISON, TX****214/991-0008****PARKING**

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Three (3) steps to get to Bar area only.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

HOUSTON'S
5318 BELT LINE RD
ADDISON, TX

214/960-1752

PARKING



Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS



Accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow and heavy to open. First floor seating area is mainly booths. Lounge/bar is raised with two (2) steps.

COMMENTS

Van parking is available. Self-service; wait staff is available for assistance. Braille menus available. Large print and picture menus are not available. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

HUMPERDINKS**4021 BELT LINE****ADDISON, TX****214/934-2612****PARKING**

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: No information
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: Yes
 Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Restrooms have a cabinet under sink area; not accessible for wheelchairs.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

JASMINE

4002 BELT LINE RD
ADDISON, TX

214/991-6867

PARKING

Accessible
Spaces: 6
Curb Cut(s): Yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
Door(s): Partially accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

At the time of this survey, the main front electronic door was not working.

COMMENTS

Accessible parking is located at the northeast side of building. Accessible van parking with two (2) spaces available. Once inside building, take elevator to restaurant on second floor. Elevator is not a freight elevator. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

JASON'S DELI

4021 BELT LINE RD

DALLAS, TX

214/239-0074

PARKING

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Concrete

MAIN ENTRANCE

Partially accessible: level ground

Door(s): Partially accessible

Surface: Not stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: None

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60" wide. Outside door area sidewalk is at a steep angle. Main front doors' threshold is too high. Front doors are heavy and handles are difficult to use. Welcome mat may cause patrons to trip. Restrooms' stall doors do not swing outward. Women's restroom commode, towel holder and mirror are not accessible. Men's commode, sink hardware, towel holder and mirror are not accessible.

COMMENTS

Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

JUDGE BEANS

14920 MIDWAY RD
ADDISON, TX

214/980-4400

PARKING

Accessible
Spaces: 1
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Opened for you
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

**RESTROOMS**

Not accessible

PROBLEMS IDENTIFIED

Parking signage is below only. Restroom stall, commode, toilet paper dispenser, sink rim/counter are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

KEY WEST GRILL

5348 BELT LINE RD

ADDISON, TX

214/458-0444

PARKING

Partially accessible

Spaces: 1

Curb Cut(s): Steep ramps

Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp

Door(s): Partially accessible

Surface: Not stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Accessible

Stairs to Seating: None

Outdoor Seating: Partially accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Handicapped parking is available but there is no access aisle. Main front doors are too narrow and heavy to open. Outdoor seating area is very small. Women's restroom stall doors are narrow; grab bars, soap dispenser, and towel holder are not accessible. Men's restroom stall is not deep enough; grab bars and mirror are not accessible.

COMMENTS

Parking is below signage only. Self-service; wait staff is available for assistance. Large print menus available. No braille or picture menus. Wait staff will read menu, if requested. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

KOBE STEAK RESTAURANT & LOUNGE

5000 BELT LINE RD
ADDISON, TX

214/934-8150

PARKING

Not accessible
Spaces: None
Curb Cut(s): None
Surface: Concrete

MAIN ENTRANCE

Partially accessible: ramp
Door(s): Not accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: To some
Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking not accessible; strip mall responsibility. Restroom stall doors are narrow. Restroom commode, toilet paper dispenser, sink rim/counter, soap dispenser and towel holder are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot not accessible. Electrical outlet close to telephone for TDD/TTY usage. Fire alarms visual and audible.

MAGIC TIME MACHINE**5003 BELT LINE****ADDISON, TX****214/980-1903****PARKING**

Not accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Restroom stall door is too narrow and grab bars are at the back only.

COMMENTS

Parking area has above and below signage. Self-service at salad bar; wait staff is available for assistance. Braille and large print menus available. No picture menus. Wait staff will read menu, if requested. Lounge/bar area has a ramp. Elevator to second floor. Fire alarm is audible/visual. Public telephone available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

MASSIMO'S DA MILANO

5100 BELT LINE RD

ADDISON, TX

214/661-5255

PARKING

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp

Door(s): Partially accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: No information

Lounge/Bar: None

Steps to Seating: None

Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Restrooms off second level with step to get to area and no ramp.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Fire alarms audible and visual. Take-out available; no TDD/TTY. Public telephone available; coin slot not accessible. Public telephone amplified. No electrical outlet close to telephone for TDD/TTY usage. Employees familiar with Relay Texas Service.

MAY DRAGON**4848 BELT LINE RD****ADDISON, TX****214/392-9998****PARKING**

Not accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: level ground
 Door(s): Accessible
 Surface: Industrial carpet

INTERIOR DINING

Aisles: Wide
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking space is too narrow. Restroom commode and towel holders are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. Electrical outlet close to the telephone for TDD/TTY usage.


McARTHUR'S/IN THE HARVEY HOTEL

14315 MIDWAY RD
DALLAS, TX

214/980-8877

PARKING

Partially accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: ramp
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking spaces are not wide enough to be accessible. Restroom grab bars are to the side only. Restroom commode, soap dispenser and towel holders are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible and visual. Public telephone is available; coin slot is not accessible. Public telephone is amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

MERCADO JUAREZ

4050 BELT LINE RD

DALLAS, TX

214/458-2145

PARKING

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Concrete

MAIN ENTRANCE

Accessible: ramp

Door(s): Partially accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Accessible

Steps to Seating: None

Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60 inches. Main front entrance doors are too heavy and handles are difficult to open. Restroom mirror is not accessible. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

MI PIACI

14854 MONTFORT
ADDISON, TX

214/934-8424

PARKING

Valet
Spaces: None
Curb Cut(s) Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Not accessible
Surface: Stable

INTERIOR DINING

Aisles: Narrow
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Yes; not accessible
Stairs to Seating: Yes
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main entrance ramp does not have handrails. Main entrance doors are narrow, heavy to open, door handles difficult to use, and threshold is too high. Two steps up to lounge/bar area. Restroom sink rim/counter and towel holder are not accessible. Fire alarms are audible only. Public telephones located two (2) steps up behind seating area.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

MONTE CARLO/IN THE GRAND KEMPINSKI

15201 DALLAS PARKWAY

DALLAS, TX

214/386-6000

PARKING

Partially accessible

Spaces: 5

Curb Cut(s): Yes

Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp

Door(s): Partially accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Accessible

Stairs to Seating: Yes

Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

No adjacent access aisle in parking area. Main front entrance door is too heavy and handles are difficult to use. Interior dining has some areas with steps up to seating; most seating areas are level.

COMMENTS

Parking area has below signage. Use restrooms by Le Café restaurant. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible and visual. Public telephone available; coin slot is not accessible. Public telephone is not amplified. Electrical outlet close to telephone for TDD/TTY usage. TDD/TTY available for take-out ordering. Employees are familiar with Relay Texas Service.

MR. SUSHI

4860 BELT LINE RD
ADDISON, TX

214/385-0168

PARKING

Partially accessible
Spaces: 1
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Level ground
Door(s): Accessible
Surface: Industrial mats and carpet

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Yes; not accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Some seating areas may not accommodate wheelchairs. Dim lighting. Handicapped parking space is too narrow. Lounge/bar area is sunken with three (3) steps down. Restroom grab bars are partially accessible. Restroom stall, commode, sink rim/counter, soap dispenser and towel holders are not accessible. Dark lighting in telephone area.

COMMENTS

Ramps in parking area. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage.

MUCKY DUCK**5301 BELT LINE RD, #1037/IN PRESTONWOOD MALL****ADDISON, TX****214/239-6702****PARKING**

Not accessible
 Spaces: 7
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Partially accessible
 Stairs to Seating: None
 Outdoor Seating: Yes; not accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking is the Prestonwood Mall responsibility. Parking spaces and access aisles are too narrow. Main front entrance doors are difficult to open. Restroom grab bars are to the side only. Restroom stall, soap dispenser, towel holders and mirror are not accessible. Fire alarms are audible and visual, but only located in the kitchen.

COMMENTS

There is insufficient space between tables but accessibility between bar area and first tables is good. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Take-out and TDD/TTY available. Employees are familiar with Relay Texas service.

ON THE BORDER

4400 BELT LINE RD
ADDISON, TX

214/788-4400

PARKING

Accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Accessible
Lounge/Bar: Partially accessible
Stairs to Seating: None
Outdoor Seating: Accessible

**RESTROOMS**

Accessible

PROBLEMS IDENTIFIED

Lounge/bar has high tables and chairs.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

REMINGTON'S SEAFOOD GRILL**4580 BELT LINE RD****ADDISON, TX****214/386-0122****PARKING**

Partially accessible

Spaces: 1

Curb Cut(s): No

Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp

Door(s): Accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Accessible

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60" wide. Lounge/bar area has stools. To get to restrooms, must go through small service area which is awkward. Restroom commode, sink hardware, towel holders are not accessible.

COMMENTS

Self-service; wait staff available to assist. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available. No electrical outlet close to the telephone for TDD/TTY usage.

ROMANO'S MACARONI GRILL

4535 BELT LINE RD
ADDISON, TX

214/386-3831

PARKING

Accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: No information

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Below signage only for accessible parking. No accessible van parking.

COMMENTS

Long ramp from front entrance down to seating area. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.


SFUZZI

15107 ADDISON RD
ADDISON, TX

214/960-2606

PARKING

Not accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Partially accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Main front entrance door handles are difficult to open.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible and visual. Public telephone is available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

SHONEY'S
4060 BELT LINE
ADDISON, TX

214/490-5778

PARKING



Accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: Asphalt and concrete

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: No information

RESTROOMS



Accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Restroom toilet paper dispenser and sink rim/counter are not accessible.

COMMENTS

Parking area has above and below signage. Two (2) spaces for van parking available. Self-service; wait staff is available for assistance. Braille, large print and picture menus available. Wait staff will read menu, if requested. Fire alarm is audible/visible. Public telephone is available; coin slot is accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

SIMPLY FONDUE

4900 BELT LINE RD
ADDISON, TX

214/960-7027

PARKING

Partially accessible
Spaces: 1
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Elevator
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Booths and Chairs
Tables: No information
Lounge/Bar: Yes; not accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

No information

PROBLEMS IDENTIFIED

Parking area does not have an adjacent aisle of 60". Interior seating is mainly booths.

COMMENTS

Self-service; patrons put their own fondue forks in heated pots in the middle of tables. Self-service is not accessible. Public telephone: no information. Stairs to get to main entrance, but elevator in rear to get to second level.

SNUFFERS

14190 MIDWAY RD
DALLAS, TX

214/991-8811

PARKING

Partially accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Steep ramp
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Booths
Tables: Not accessible
Lounge/Bar: Not accessible
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Women's: Partially accessible
Men's: No information

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60" wide. Women's restroom grab bars are partially accessible; sink hardware and mirror are not accessible.

COMMENTS

Parking signage is below only. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. Wait staff will assist with coins. No electrical outlet close to the telephone for TDD/TTY usage.

SOLLY'S BARBEQUE

4801 BELT LINE RD
ADDISON, TX

214/387-2900

PARKING

Partially accessible
Spaces: 1
Curb Cut(s): None
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: None
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Hallway going into restroom area is narrow with limited turning radius for wheelchairs. Door into women's restroom is not accessible. Door into men's restroom is accessible. Restrooms do not have grab bars. In both restrooms stall doors, sink hardware, towel holders and mirrors are not accessible. Small ramp from entrance to dining area is uneven.

COMMENTS

Small ramp in interior dining area. Staff is friendly and willing to assist. No braille, large print or picture menus. Wait staff will read menu, if requested. Self-service; wait staff is available for assistance. Public telephone is available; coin slot is not accessible. No outlet close to the telephone for TDD/TTY usage.

SPAGHETTI WAREHOUSE**3820 BELT LINE RD****ADDISON, TX****214/241-7877****PARKING**

Accessible
 Spaces: 4
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Main front door handles are difficult to use. Welcome mat may cause patrons to trip. Mirror in restroom is not accessible.

COMMENTS

Braille and large print menus available. No picture menu is available. Fire alarms are audible and visual. Public telephone is not accessible; however, house phone is available. Electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

TAIWAN RESTAURANT

4980 BELT LINE RD

ADDISON, TX

214/387-2353

PARKING

Not accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Not accessible: Stairs only
 Door(s): Accessible
 Surface: Brick in foyer; inside
 industrial carpet

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; No information
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

To get to restaurant must use service elevator with poor lighting in rear of building. Stall doors in restroom is heavy to open. Restroom grab bars, soap dispenser and towel holders are not accessible.

COMMENTS

Elevator has braille. Self-service; wait staff is available to assist. Wait staff will read menu, if requested. Good natural lighting in restaurant. Public telephone available; coin slot is accessible. Electrical outlet close to telephone for TDD/TTY usage.

TEXAS TUMBLEWEED STEAK HOUSE

14775 MIDWAY RD

ADDISON, TX

214/934-8958

PARKING

Partially accessible

Spaces: 3

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Not accessible: Ramp

Door(s) Partially accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Accessible

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Women's: No information

Men's: Partially accessible

PROBLEMS IDENTIFIED

Main front entrance ramp is very steep with no handrails. Front doors are heavy to open. Men's restroom stall door is too narrow. Men's restroom grab bars are to the side only.

COMMENTS

Circle drive up to front entrance. No pictures displayed on menus. Public telephone available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

TGI FRIDAY'S**5100 BELT LINE RD****ADDISON, TX****214/386-5824****PARKING**

Accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: Yes
 Outdoor Seating: Yes; not accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Lounge/bar area is raised by several steps; no elevator available. Restroom stall doors swing outward and grab bars are to the side only. Restroom mirrors are not accessible.

COMMENTS

Braille and large print menus available. No picture menu available. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.


TIA'S

14905 MIDWAY RD
ADDISON, TX

214/392-9468

PARKING

Partially accessible
Spaces: 2
Curb Cut(s): yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
Door(s): Not accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60". Main front entrance doors have a high threshold. Door handles are difficult to use and doors are narrow. Restroom grab bars are to the side only. Restroom stall doors and soap dispenser are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

TONY ROMA'S**5000 BELT LINE RD****ADDISON, TX****214/661-2671****PARKING**

No information
 Spaces: No information
 Curb Cut(s): No information
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking is in strip mall. Interior dining area has mainly tables with full booths and half booths. Restroom stall doors are too narrow and stalls are not deep enough. Grab bars in the restroom are at the back only.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus at the time of the survey. May have braille/large print menus in the future. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

DEEP ELLUM AREA

Baker's Rib

2724 Commerce
(214) 748-5433

Deep Ellum Cafe

2704 Elm St
(214) 741-9012

East Wind

2711 Elm St
(214) 745-5554

Eduardo's Aca y Alla

2914 Main St
(214) 748-7140

Ice House

2615 Commerce
(214) 748-9898

Jay's Cafe

2912 Elm St
(214) 741-0522

Main Street News

2934 Main St
(214) 746-2934

Osteria Da Momo

2704 Elm St
(214) 748-4222

Phil's Natural Eats Cafe

2815 Elm St
(214) 761-8400

Sambuca

2618 Elm St
(214) 744-0820

Scuro

2713 Elm St
(214) 741-0111

Sweet Endings

2901 Elm St
(214) 741-9012



BAKER'S RIB**2724 COMMERCE****DALLAS, TX****214/748-5433****PARKING**

Paid lot next to restaurant

Spaces: None

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground

Door(s): Accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Accessible

Lounge/Bar: None

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Building is very old. Restroom commode and sink hardware are not accessible.

COMMENTS

Self-service; wait staff available for assistance. Large print menu available. No braille or picture menus available. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

DEEP ELLUM CAFE

**2704 ELM ST
DALLAS, TX**

214/741-9012

PARKING

Paid parking lot, street parking and valet
 Spaces: None
 Curb Cut(s): None
 Surface: No information

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow. Front door hardware difficult to open. Difficult to navigate wheelchairs around bar area to get to tables. Restroom stall doors, commode and sink hardware are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

EAST WIND

**2711 ELM ST
DALLAS, TX**

214/745-5554

PARKING

Paid lots and valet
Spaces: None
Curb Cut(s): Yes
Surface: No information

MAIN ENTRANCE

Accessible: Level ground
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Restroom commode and sink hardware are not accessible. Public telephone is not available.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested.

EDUARDO'S ACA Y ALLA**2914 MAIN STREET****DALLAS, TX****214/748-7140****PARKING**

Street and valet
 Spaces: None
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Restroom sink hardware and mirror are not accessible.

COMMENTS

Complimentary parking Sunday through Thursday. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. TDD/TTY outlet available with the bar telephone.

ICE HOUSE
2615 COMMERCE
DALLAS, TX

214/748-9898

PARKING



Paid lot
 Spaces: None
 Curb Cut(s): No information
 Surface: No information

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: No information
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: No information

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Restroom stall has a tight corner to negotiate at entrance. Restroom commode and mirror are not accessible.

Self-service; wait staff available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

JAY'S CAFE

2912 ELM ST

DALLAS, TX

214/741-0522

PARKING

Accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED


Restroom door, commode, grab bars and sink hardware are not accessible. Public telephone has one step up to it.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage.

MAIN STREET NEWS**2934 MAIN ST****DALLAS, TX****214/746-2934****PARKING**

Street only
 Spaces: None
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Restroom sink hardware and mirror are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. No electrical outlet close to telephone for TDD/TTY usage. Electrical outlet for TDD/TTY usage next to bar phone.


OSTERIA DA MOMO

2704 ELM ST
DALLAS, TX

214/748-4222

PARKING

Parking lot, street parking and valet
Spaces: None
Curb Cut(s): None
Surface: No information

MAIN ENTRANCE

Accessible: Level ground
Door(s): Partially accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: None
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main entrance threshold is too high; may be difficult to go over with a wheelchair. Main entrance door has a knob. Restroom is one room; door swings inward. Restroom commode, sink hardware and mirror are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. No public telephone is available.

PHIL'S NATURAL EATS CAFE**2815 ELM ST****DALLAS, TX****214/761-8400****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Accessible
 Surface: No information

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Women's: Partially accessible
 Men's: No information

PROBLEMS IDENTIFIED

Main front entrance door handle is difficult to open. Door to restroom swings inward. Women's restroom commode, sink counter, sink hardware and mirror are not accessible. Difficult to get in and out of restroom in a scooter.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Self-service; wait staff available for assistance. Public telephone is available; coin slot is accessible. Electrical outlet close to telephone near coffee drink dispenser for TDD/TTY usage.

SAMBUCA

**2618 ELM ST
DALLAS, TX**

214/744-0820

PARKING

Accessible
Spaces: 1
Curb Cut(s): Yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking lot walkway has a difficult turn. Welcome mat may cause patrons to trip. Restroom stall door swings inward. Restroom sink rim/counter, sink hardware, soap dispenser and towel holder are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

SCURO
2713 ELM ST
DALLAS, TX

214/741-0111

PARKING



Paid lot, street parking and valet
 Spaces: None
 Curb Cut(s): None
 Surface: No information

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None



RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Main front entrance threshold may be difficult to maneuver over. Restroom sink hardware is not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. Electric outlet close to the telephone for TDD/TTY usage.

SWEET ENDINGS

2901 ELM ST
DALLAS, TX

214/741-9012

PARKING

Not accessible
Spaces: None
Curb Cut(s): None
Surface: No information

MAIN ENTRANCE

Partially accessible
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: None
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main entrance threshold may be difficult to maneuver. Restroom commode, grab bars, sink hardware and mirror are not accessible.

COMMENTS

Self-service; wait staff available for assistance. No braille, large print or picture menus. Postings on blackboard are easy to read. No public telephone.

LOWER GREENVILLE AVE. AREA

Arcadia Bar
2114 Greenville Ave
(214) 821-1300

Blue Goose Cantina
2905 Greenville Ave
(214) 823-8339

By George !
2900 Greenville Ave
(214) 821-1538

Carib-B
2012 Greenville Ave
(214) 824-3395 ⁵²⁰⁶

**Greenville Avenue
Bar & Grill**
2821 Greenville Ave
(214) 823-6691

John's Cafe
2724 Greenville Ave
(214) 827-4610

Nero's
2104 Greenville Ave
(214) 826-6376

St. Martin's
3020 Greenville Ave
(214) 826-0940

San Francisco Rose
3024 Greenville Ave
(214) 826-2020

Simply Fondue
2108 Greenville Ave
(214) 827-8878

Terilli's
2815 Greenville Ave
(214) 827-3993

The Grape
2808 Greenville Ave
(214) 823-0123

The New Big Wong
2121 Greenville Ave
(214) 821-4198



ARCADIA BAR
2114 GREENVILLE AVE
DALLAS, TX

214/821-1300

PARKING



Behind restaurant and street parking
 Spaces: None
 Curb Cut(s): None
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Tile

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Welcome mat may cause patrons to trip. Main front entrance door knob is difficult to use. Restroom stall, grab bars and mirror are not accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. Telephone is amplified. No electrical outlet close to the telephone. Employees are familiar with the Relay Texas Service.

BLUE GOOSE CANTINA**2905 GREENVILLE AVE****DALLAS, TX****214/823-8339****PARKING**

Partially accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Broken asphalt

MAIN ENTRANCE

Accessible: level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60". Restroom stall doors are not wide enough. Restroom commode, grab bars, toilet paper dispenser, sink rim/counter, sink hardware, soap dispenser and towel holder are not accessible.

COMMENTS

Self-service; wait staff is available for assistance. Outdoor seating has an incline that wheelchairs have to go up; not difficult to maneuver. Outdoor seating is in a small area and can get crowded. Fire alarms are audible/visual. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

BY GEORGE!

**2900 GREENVILLE AVE
DALLAS, TX**

214/821-1538

PARKING

Accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Asphalt; cracked in some areas

MAIN ENTRANCE

Accessible: Level ground
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Not accessible
Stairs to Seating: Yes
Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Aisles between chairs and tables are multi-leveled by stairs; no ramps available. Lounge/bar area is raised; no ramp available. Stairs to restroom area; no ramp available. Restroom stall doors are not wide enough. Restroom commode, grab bars, sink rim/counter, sink hardware, soap dispenser, towel holder and mirror are not accessible. Fire alarms are not audible/visual.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

CARIB-B

**2012 GREENVILLE AVE
DALLAS, TX**

214/824-3395

PARKING

Behind restaurant and street parking
 Spaces: None
 Curb Cut(s): No information
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Asphalt is a little rough between buildings. Main front door is too narrow. Front door is difficult to open. Restroom stall door, grab bars, toilet paper dispenser, soap dispenser, towel holder and mirror are not accessible. Fire alarms are visual only.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. No public telephone available.

GREENVILLE AVE BAR & GRILL

2821 GREENVILLE AVE

DALLAS, TX

214/823-6691

PARKING

Not accessible
 Spaces: 2 shared by several restaurants
 Curb Cut(s): Yes
 Surface: Broken asphalt

MAIN ENTRANCE

Not accessible
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED


Parking area does not have an adjacent access aisle 60" wide. Main front doors are too narrow and door handles are not accessible. Aisles are lined with booths and bar stools. Lounge/bar area is raised; no ramp available. Restroom stall doors are not wide enough. Restroom commode, grab bars, toilet paper dispenser, sink rim/counter, sink hardware, soap dispenser and towel holder are not accessible. Fire alarms are not audible/visual.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

JOHN'S CAFE**2724 GREENVILLE AVE****DALLAS, TX****214/827-4610****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): None
 Surface: Asphalt

MAIN ENTRANCE

Not accessible: Stairs only
 Door(s): Partially accessible
 Surface: Tile

INTERIOR DINING

Aisles: Wide
 Seating: Booths and Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main front entrance door threshold is too high. Main front entrance door is too heavy to open. Restroom stall, commode, towel holder and mirror are not accessible. Storage area in restroom. Fire alarms are not audible/visual.

COMMENTS

Staff will offer assistance getting through front door. Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available outside only. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

NERO'S**2104 GREENVILLE AVE****DALLAS, TX****214/826-6376****PARKING**

Behind restaurant lot and street parking

Spaces: No information

Curb Cut(s): None

Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground

Door(s): Partially accessible

Surface: Tile

INTERIOR DINING

Aisles: Narrow

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Not accessible

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main front door is heavy. Welcome mat may cause patrons to trip. Entry-way to restroom is not accessible. Restroom stall, grab bars, sink hardware, towel holder and mirrors are not accessible. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff will *not* read menu, if requested. Ramp to second dining area. Public telephone available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas Service.

SAN FRANCISCO ROSE**3024 GREENVILLE AVE****DALLAS, TX****214/826-2020****PARKING**

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground

Door(s): Not accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Yes; not accessible

Stairs to Seating: No

Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED


Parking lot has an adjacent access aisle of 60" wide. Main front door threshold is too high. Doors are heavy to open and handles are difficult to maneuver. Some chairs at tables in dining area are moveable to accommodate wheelchairs. Lounge/bar area has bar stools. Restroom stall doors do not swing outward. Restroom stall is not deep enough. Restroom grab bars, toilet paper dispenser, sink rim/counter, sink hardware, soap dispenser, towel holder and mirror are not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

SIMPLY FONDUE**2108 GREENVILLE AVE****DALLAS, TX****214/827-8878****PARKING**

Street parking
 Spaces: No information
 Curb Cut(s): No information
 Surface: No information

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: No information
 Seating: Booths and chairs
 Tables: Not accessible
 Lounge/Bar: Yes; no information
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Front doors are narrow and heavy to open. Welcome mat may cause patrons to trip. Seating is mainly booths. Restroom stall, commode, grab bars, toilet paper dispenser, sink hardware and towel holder are not accessible.

COMMENTS

No picture menu available. Wait staff will read menu, if requested. Ramp to restroom. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

ST. MARTIN'S**3020 GREENVILLE AVE****DALLAS, TX****214/826-0940****PARKING**

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground

Door(s): Not accessible

Surface: Stable

INTERIOR DINING

Aisles: Narrow

Seating: Chairs

Tables: Accessible

Lounge/Bar: None

Stairs to Seating: None

Outdoor Seating: Yes; not accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60" wide. Main front doors are too narrow and door handles are not accessible. Outdoor seating area is small and difficult to maneuver in a wheelchair. Restroom commode, grab bars, sink rim/counter, sink hardware, soap dispenser, towel holder and mirrors are not accessible.

COMMENTS

Wait staff will assist patrons in wheelchairs in entering front doors. Patrons may also go around to back entrance. Self-service; wait staff is available for assistance. No braille, large print or picture menus. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

TERILLI'S**2815 GREENVILLE AVE****DALLAS, TX****214/827-3993****PARKING**

Valet

Spaces: None

Curb Cut(s): Yes

Surface: Broken asphalt and dirt

MAIN ENTRANCE

Not accessible: Level ground

Door(s): Not accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Accessible

Lounge/Bar: Yes; no information

Stairs to Seating: Yes

Outdoor Seating: Yes

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Divider in double-door entrance makes it inaccessible for wheelchair users. Parking area is congested and only two (2) handicapped spaces are shared by several restaurants. Main front door threshold is too high. Restroom stall doors are narrow and swing inward. Restroom grab bars, sink hardware, soap dispenser, towel holder and mirror are not accessible.

COMMENTS

Self-service; wait staff available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarm is audible/visual. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

THE GRAPE**2808 GREENVILLE AVE****DALLAS, TX****214/823-0123****PARKING**

Behind restaurant lot and street parking

Spaces: None

Curb Cut(s): In alley area only

Surface: No information

MAIN ENTRANCE

Not accessible: Ramp too steep

Door(s): Not accessible

Surface: Brick

INTERIOR DINING

Aisles: No information

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Yes; not accessible

Stairs to Seating: Yes

Outdoor Seating: No information

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Front door is narrow and heavy to open. Front door knob makes it difficult to open. Hallway to restroom area is not accessible. Bar area is sunken. Telephone is totally blocked by chairs and small table. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff will *not* read menu, if requested. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

THE NEW BIG WONG**2121 GREENVILLE AVE****DALLAS, TX****214/821-4198****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Not accessible
 Door(s): Partially accessible
 Surface: Carpet

INTERIOR DINING

Aisles: Some narrow
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Curb cuts/ramps blocked by concrete bumper guards in parking lot. Main front doors are too narrow to go through with a wheelchair. Welcome mat may cause patrons to trip. Restroom stall, commode, grab bars, toilet paper dispenser, sink hardware, towel holder and mirror are not accessible. Public telephone is blocked by cigarette machine and newspaper racks. Carpet may be difficult for wheelchair and crutches to maneuver. Additional dining room seating is up two (2) steps.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

MCKINNEY AVE AREA

Baby Routh
2708 Routh St
(214) 871-2345

**Beau Nash
Restaurant**
400 Crescent Court
in Crescent Hotel
(214) 871-3240

Buffalo Club
2800 Routh St
Suite 125
(214) 220-2465

Cremora Bistro
3136 Routh St
(214) 871-1115

Crescent Gourmet
400 Crescent Court
(214) 871-3223

Dream Cafe
2800 Routh St
(214) 954-0486


**Ewald's
in Stoneleigh Hotel**
2927 Maple Ave
(214) 871-2523

Fuddruckers
2614 McKinney Ave
(214) 871-2070

**Jozef's Seafood
Restaurant**
2719 McKinney Ave
(214) 954-0407

J. Pepes
2800 Routh St
Suite 115
(214) 871-0366

Lady Primrose
2200 Cedar Springs
in Crescent Hotel
(214) 871-8334



MCKINNEY AVE AREA

Quadrangle Grill

2800 Routh St
(214) 979-9022

Ruggeri's

2911 Routh St
(214) 871-7377

S & D Oyster Company

2701 McKinney Ave
(214) 880-0111

Sam's Cafe

100 Crescent Court
(214) 855-2233

Sfuzzi

2504 McKinney Ave
(214) 871-2606

Stoneleigh P's

2926 Maple Ave
(214) 817-2346

The 8.0

2800 Routh St
(214) 979-0880

The Conservatory

400 Crescent Court
(214) 871-3242

The Promenade

in the Mansion on Turtle Creek

2821 Turtle Creek Blvd
(214) 559-2100

Watel's

1923 McKinney Ave
(214) 720-0323

BABY ROUTH**2708 ROUTH ST****DALLAS, TX****214/871-2345****PARKING**

Not accessible
 Spaces: N/A
 Curb Cut(s): No information
 Surface: Brick

MAIN ENTRANCE

Not accessible: Ramp
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: Yes
 Outdoor Seating: Yes, not accessible

RESTROOMS

Women's: Not accessible
 Men's: Accessible

PROBLEMS IDENTIFIED

Ramp in front door entrance area; will need assistance getting up ramp. Lounge/bar is raised without a ramp. Outdoor seating has steps without a ramp. Women's restroom stall door, commode, grab bars are not accessible.

COMMENTS

Parking in rear lot area; need to call ahead for directions. Staff will assist patrons up the front entrance ramp. No braille or picture menus available. Large print menus available. No public telephone available. House phone available. No electrical outlet close to the telephone for TDD/TTY usage. Take-out/delivery available. A TDD/TTY is available. Employees are not familiar with the Relay Texas service. Fire alarms are audible/visual.


BEAU NASH RESTAURANT**400 CRESCENT COURT/IN CRESCENT HOTEL****DALLAS, TX****214/871-3240****PARKING**

Partially accessible

Spaces: N/A

Curb Cut(s): Yes

Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp

Door(s): Accessible

Surface: Concrete

INTERIOR DINING

Aisles: Accessible

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Partially accessible

Stairs to Seating: None

Outdoor Seating: Yes, not accessible

RESTROOMS

Partially accessible.

Located in hotel lobby.

PROBLEMS IDENTIFIED

Bar area has a high counter. Restroom grab bars are to the side of the commode only; sink rim/counter and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Parking is located by hotel registration area. No braille, large print or picture menus. Wait staff will read menu, if requested. Restrooms are in hotel lobby. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

BUFFALO CLUB**2800 ROUTH ST #125****DALLAS, TX****214/220-2465****PARKING**

Accessible: Yes
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Not accessible
 Surface: Smooth Terrazzo mosaic tile

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Table(s): Not accessible
 Lounge/Bar: Yes - No information
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Restroom stalls do not swing outward. Commode and mirror in men's restroom are not accessible.

COMMENTS

Accessible van parking. Self-service; wait staff available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephones are available in restrooms; coin slot is accessible. Public telephone is not amplified. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas Service.

CREMORA BISTRO

**3136 ROUTH ST
DALLAS, TX**

214/871-1115

PARKING

Not accessible & valet parking
at night only

Spaces: N/A

Curb Cut(s): No information

Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp

Door(s): Not accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Table(s): Not accessible

Lounge/Bar: Not accessible

Stairs to Seating: No information

Outdoor Seating: No information

RESTROOMS:

Not accessible

PROBLEMS IDENTIFIED


There are two parking areas: the one closest to the front door has smooth asphalt and the other has rough asphalt, plus lots of gravel. Restroom stall doors are too narrow. Restrooms' commode, grab bars, and sink hardware are not accessible. Restrooms are down the hall from restaurant; have to go through the kitchen to get to them. Fire alarms are audible only.

COMMENTS

No braille, large print and picture menus (at the time of this survey). Management will be providing braille menus in the future. Wait staff will read menu, if requested. Lounge/bar area is raised; management will provide a ramp to make it accessible. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas service.

CRESCENT GOURMET**400 CRESCENT COURT****DALLAS, TX****214/871-3223****PARKING**

Partially accessible
 Spaces: Yes; No information as to number
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: ramp
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Table(s): Not accessible
 Stairs to Seating: None
 Outdoor Seating: No information

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Parking is located by hotel registration area. No adjacent access aisle. Restroom sink rim and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Table and chairs are easy to move in dining area. Self-service. No braille, large print or picture menus. Wait staff available for assistance. Restrooms are in hotel lobby. Restroom counters are open underneath. Public telephone available; coin slot is not accessible. Telephone is not amplified. Employees are familiar with Relay Texas Service.

DREAM CAFE

2800 ROUTH ST
DALLAS, TX

214/954-0486

PARKING

Partially accessible
Spaces: No information
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Partially accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Table(s): Not accessible
Lounge/Bar: None
Stairs to seating: Yes, in some areas
Outdoor Seating: Accessible

RESTROOMS

Women's: Partially accessible
Men's: Not accessible

PROBLEMS IDENTIFIED

Parking space is 9 ft. only. Women's restroom commode, sink hardware, soap dispenser, towel holder and mirror are not accessible.

COMMENTS

No braille, large print or picture menus; however, they are on order. Fire alarms are audible/visual. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Take-out/delivery available. Employees are familiar with Relay Texas Service.

EWALD'S**2927 MAPLE AVE/IN STONELEIGH HOTEL****DALLAS, TX****214/871-2523****PARKING**

Accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Partially Accessible: Ramp
 Door(s): Partially accessible
 Surface: Brick

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: No information
 Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Ramp to main entrance may be steep. Front doors are very heavy and difficult to open. Curb cuts/ramps are brick. Fire alarms are audible only.

COMMENTS

There is one (1) van parking space; however there is no signage. Can provide a higher table top extension for dining table. No braille, large print or picture menus. Wait staff will read menu, if requested. Restrooms will be accessible sometime in the near future. Public telephone is available; coin slot is not accessible. Public telephone is not amplified. Cordless phone is available for patrons to use. Employees are not familiar with Relay Texas Service.

FUDDRUCKERS

2614 MCKINNEY AVE.

DALLAS, TX

214/871-2070

PARKING

Not accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Accessible: Ramp and level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Stairs to Seating: No information
 Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Front door is too narrow. Restroom grab bars are partially accessible (to the side only). Restroom commode and sink hardware are not accessible.

COMMENTS

Self-service, wait staff available for assistance. No braille, large print or picture menus. Public telephone available; coin slot is not accessible. No electrical outlet close to telephone for TDD/TTY usage.

J. PEPE'S @ QUADRANGLE**2800 ROUTH ST #115****DALLAS, TX****214/871-0366****PARKING**

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Not accessible

Door(s): Not accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Accessible

Stairs to Seating: None

Outdoor Seating: Yes; not accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking area does not have an adjacent access aisle of 60". There is van parking, but it is located in a nearby lot. Front entrance has one (1) step to landing or to patio. Front entrance has one (1) door closed. Doors are too narrow and heavy, and have door handles that are difficult to use. LOCKED emergency exit. Guests must ring door bell at front entrance to request entry. Women's restroom sink rim/counter, sink hardware, towel holder and mirrors are not accessible. Men's restroom grab bars are partially accessible; stall, sink rim/counter, sink hardware, towel holder & mirror are not accessible. Two exit signs were not lit.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephones available; coin slot is accessible. Public telephones are amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas Service. Fire alarms are audible/visual.

JOZEF'S SEAFOOD RESTAURANT**2719 MCKINNEY AVE****DALLAS, TX****214/954-0407****PARKING**

Not accessible
 Spaces: N/A
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Not accessible: Ramp
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Steps to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Restroom stall doors are too narrow. Restroom commode, sink hardware and mirror are not accessible. Restroom grab bars, soap dispenser, and towel holder—no information.

COMMENTS

Braille and large print menus available. No picture menus available. Wait staff will read menu, if requested. Public telephone available. No information about telephone accessibility.

LADY PRIMROSE**2200 CEDAR SPRINGS/IN CRESCENT HOTEL****DALLAS, TX****214/871-8334****PARKING**

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: Elevator
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main front door is heavy and difficult to open. Tables in interior dining area are lead pedestals and not moveable. The tearoom is upstairs inside an antique shop. Elevator goes to the tearoom, however, it was not working properly during the site evaluation. The elevator is crowded with furniture; staff will move the furniture to make it more accessible. Men's restroom stall is not deep enough; commode and grab bars are not accessible. Women's restroom stall door swings inward; commode and grab bars are not accessible.

COMMENTS

Van parking available and accessible with adjacent access aisle. Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. No public telephone; house telephone available. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas service.

QUADRANGLE GRILL**2800 ROUTH ST AT QUADRANGLE****DALLAS, TX****214/979-9022****PARKING**

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp and level ground
 Door(s): Not accessible
 Surface: Rug over tile

INTERIOR DINING

Aisles: Some wide, some narrow
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to seating: To Lounge/bar area
 Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Brick pavers from parking lot to front door. Front doors are too narrow and heavy. Doors handles are not accessible. Exit doors would be difficult to get out of. Rug at entry could leave moisture inside door. Main corridor has some areas too tight to maneuver through. Lounge/bar area has 3 to 4 steps down to it. Public telephone located in hallway to the ladies' room does not allow accessible passage. Fire alarms are audible only.

COMMENTS

Accessible van parking available. Public telephone available; coin slot is accessible. Public telephone is amplified. No electrical outlet close to the phone for TDD/TTY usage. Restaurant has takeout, but does not have a TDD/TTY. Employees are not familiar with Relay Texas Service.

RUGGERI'S**2911 ROUTH ST.****DALLAS, TX****214/871-7377****PARKING**

Valet
 Curb Cut(s): None
 Surface: Asphalt

MAIN ENTRANCE

Not accessible
 Door(s): Not Accessible
 Surface: Brick

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: Yes
 Outdoor Seating: No information

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Persons in wheelchairs enter and exit through the kitchen. Main entrance welcome mat may cause patrons to trip. Lounge/bar is raised; 3 to 4 levels of seating areas, all with steps. Steps to restroom area with a small ramp.

COMMENTS

Public telephone available; coin slot is not accessible. Public telephone is not amplified. No outlet close to the telephone for TDD/TTY usage.

S & D OYSTER COMPANY**2701 MCKINNEY AVE****DALLAS, TX****214/880-0111****PARKING**

Street parking & parking lot a block away

Spaces: 0

Surface: No information

MAIN ENTRANCE

No information

Door(s): Opened for you

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not Accessible

Lounge/Bar: None

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking lot is one (1) block away from restaurant and there is no valet parking available. Front door handles are not accessible. Restroom stall is not deep enough. Restroom grab bars are not accessible. Restroom toilet paper dispenser is partially accessible.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

SAM'S CAFE**100 CRESCENT COURT****DALLAS, TX****214/855-2233****PARKING**

Not accessible
 Spaces: N/A
 Curb Cut(s): No
 Surface: Concrete

MAIN ENTRANCE

Accessible: ramp
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; no information
 Stairs to Seating: None
 Outdoor Seating: Yes; accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking has numerous handicap spaces with above/below signage; spaces are not wide enough. Better to use valet parking. Lounge/bar area has some high chairs. Restroom stall doors and grab bars are partially accessible. Restroom commode, sink rim/counter, soap dispenser and towel holder are not accessible. No clearance under sink in restroom. Emergency exits are too high and not easy to see.

COMMENTS

Parking area has elevator. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.


SFUZZI

**2504 MCKINNEY AVE
DALLAS, TX**

214/871-2606

PARKING

Valet
Spaces: 0
Curb Cut(s): No information
Surface: No information

MAIN ENTRANCE

Accessible: By level ground
Door(s): Opened for you
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Restroom sink rim/counter is not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille or large print menus available. Wait staff will read menu, if requested. Picture menus available. Public telephone available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage.

STONELEIGH P'S**2926 MAPLE AVE****DALLAS, TX****214/817-2346****PARKING**

Accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp and level ground
 Door(s): Accessible
 Surface: Brick

INTERIOR DINING

Aisles: Some wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Partially accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Welcome mat may cause patrons to trip. Restroom stall doors are too narrow. Restroom commode, grab bars, sink hardware, soap dispenser, towel holder, and mirrors are not accessible. Apron under sink in restroom. Fire alarms are audible only. Emergency exits are not clearly marked.

COMMENTS

Good accessible parking signage. Accessible van parking available. Aisles more accessible near front of restaurant and bar area. Accessible to get to outdoor seating, but tables are not accessible. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas Service.

THE 8.0

**2800 ROUTH ST
DALLAS, TX**

214/979-0880

PARKING

Accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
Door(s): Accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Restroom towel holder is not accessible. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus at the time of this survey. Braille menus are on order. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. Public telephone is not amplified. No electrical outlets close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

THE CONSERVATORY**400 CRESCENT COURT****DALLAS, TX****(214) 871-3242****PARKING**

Partially accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Parking is located by hotel registration area; no adjacent access aisle. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Restrooms are located in hotel lobby. Restroom counters are open underneath for wheelchair access. Public telephone available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with Relay Texas Service.

WATEL'S
1923 MCKINNEY AVE
DALLAS, TX

214/720-0323

PARKING



Not accessible.
 Spaces: N/A
 Curb Cut(s): No information
 Surface: No information

MAIN ENTRANCE



Not accessible; stairs only
 Door(s): No information
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS



Not accessible

PROBLEMS IDENTIFIED

Back door is closest (one step) to parking. Restroom door, commode, grab bars, sink rim/counter, sink hardware, soap dispenser, towel holder and mirrors are not accessible.

COMMENTS

No braille or picture menus. Large print menus available. No public telephone available.

THE PROMENADE/IN THE MANSION ON TURTLE CREEK
2821 TURTLE CREEK BLVD
DALLAS, TX

214/559-2100

PARKING



Valet parking
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: Accessible
 Stairs to Seating: Yes
 Outdoor Seating: Partially accessible



RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Once inside restaurant there are a series of steps. The management provides portable ramps, however, but the system requires lots of assistance. Outdoor seating area has same situation as interior dining area. Restroom grab bars are at the back of the commode.

COMMENTS

Staff is very courteous and helpful. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is accessible. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service. Fire alarms are audible/visual.

OAK LAWN / CEDAR SPRINGS AREA

Black-Eyed Pea
3857 Cedar Springs
(214) 521-4580

El Gallo De Oro
4114 Maple Ave
(214) 522-6624

Herrera
4001 Maple Ave
(214) 528-9644

La Madeleine
3906 Lemmon Ave
(214) 521-0182

**Landmark Cafe
in Omni Melrose Hotel**
3015 Oak Lawn
(214) 521-5151

Les Saisons
165 Turtle Creek Village
(214) 528-1102

Mia's
4322 Lemmon Ave
(214) 526-1020

Lawry's Prime Rib
3008 Maple Ave
(214) 521-7777

Panda's
3917 Cedar Springs
(214) 528-3818

Parigi
3311 Oak Lawn
(214) 521-0295

**Ruth's Chris
Steak House**
5922 Cedar Springs
(214) 902-8080

Spanish Village
3839 Cedar Springs
(214) 528-9713

The Bronx
3835 Cedar Springs
(214) 521-5821

Uncle Julio's
4125 Lemmon Ave
(214) 520-6620



BLACK-EYED PEA**3857 CEDAR SPRINGS****DALLAS, TX****214/521-4580****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): None
 Surface: Smooth asphalt &
 broken concrete

MAIN ENTRANCE

Accessible: level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Men's restroom commode, sink hardware, soap dispenser, towel holder and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Incline at entrance covered by a slip-resistant rug. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas Service.

EL GALLO DE ORO

4114 MAPLE AVENUE
DALLAS, TX

214/522-6624

PARKING

Not accessible
Spaces: No information
Curb Cut(s): No
Surface: Broken asphalt

MAIN ENTRANCE

Not accessible: Stairs only
Door(s): Not accessible
Surfaces: Not stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Women's: Not accessible
Men's: Partially accessible

PROBLEMS IDENTIFIED

Only available entrance for wheelchairs is a side door with a steep ramp; side door is always open during business hours. There is a 1-3/4" step going into the women's restroom. Door into women's restroom does not open all the way. Women's restroom stall door, commode, grab bars, sink hardware, towel holder and mirror are not accessible. Men's restroom commode, grab bars, sink hardware, towel holder and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Public telephone is available outside; coin slot is not accessible. No electrical outlet close to the phone for TDD/TTY usage. Employees are not familiar with the Relay Texas service.

HERRERA
4001 MAPLE AVE
DALLAS, TX

214/528-9644

PARKING



Not accessible
 Spaces: No information
 Curb Cut(s): None
 Surface: Asphalt

MAIN ENTRANCE



Not accessible: Stairs only
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Primarily booths
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Main entrance has a 5" step. Main entrance door is narrow and hard to open. Women's restroom stall door, commode, toilet paper dispenser and towel holder are not accessible. Men's restroom stall door, commode, toilet paper dispenser and mirror are not accessible. Site surveyors were unable to locate fire alarms.

COMMENTS

Parking lot asphalt is fairly even. The back entrance has a ramp and a doorbell; door is unlocked during business hours. Main entrance is accessible once you enter over front step. Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with Relay Texas service.

LA MADELEINE**3906 LEMMON AVE****DALLAS, TX****214/521-0182****PARKING**

Accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp and stairs
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide in some areas
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: Yes; not accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main entrance/flooring may be slippery when wet. One main entrance door handle is levered but difficult to open. Interior dining area has some narrow areas. Restroom stall doors are too narrow and stall is not deep enough. Restroom commode and grab bars are not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Food displayed. Wait staff will read menu, if requested. Public telephone is available. One telephone is accessible. The other telephone has coin slot which is not accessible.

LANDMARK CAFE/IN OMNI MELROSE HOTEL**3015 OAK LAWN****DALLAS, TX****214/521-5151****PARKING**

Accessible
 Spaces: No information
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp and level ground
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Restroom towel holder is not accessible. Fire alarms are audible only.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

LAWRY'S PRIME RIB**3008 MAPLE AVE****DALLAS, TX****214/521-7777****PARKING**

Valet
 Spaces: None
 Curb Cut(s): None
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Steep entrance to the parking lot and front door, if you park on the street.
 Restroom stall door is not accessible.

COMMENTS

No information on type of menus available. Wait staff will read menu, if requested. Fire alarms are audible/visual. Public telephone is available; coin slot is accessible. No electrical outlet close to telephone for TDD/TTY usage.

LES SAISONS**165 TURTLE CREEK VILLAGE****DALLAS, TX****214/528-1102****PARKING**

Partially accessible
 Spaces: 4
 Curb Cut(s): Yes
 Surface: Concrete

MAIN ENTRANCE

Partially accessible: Level ground
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Narrow
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: Yes, in one room
 Outdoor Seating: None

RESTROOMS

Women's: Partially accessible
 Men's: Not accessible

PROBLEMS IDENTIFIED

Main entrance threshold is difficult to go over with most wheelchairs; electric wheelchairs would be able to clear the threshold. Large statue in front of the main entrance blocks the door. Bar area is raised with steps up to it. Restaurant has five rooms; one room has two (2) steps. Difficult for patrons in electric wheelchairs to maneuver in the restrooms. Restroom's commode, sink hardware and mirror are not accessible. Men's restroom stall door is not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print on picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

MIA'S**4322 LEMMON AVE****DALLAS, TX****214/526-1020****PARKING**

Accessible
 Spaces: 3
 Curb Cut(s): Yes
 Surface: Asphalt and concrete

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: None
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main entrance ramp has a small area at the top that has a step which might be difficult for a wheelchair to maneuver over. Hallway to restroom is narrow. Restroom stalls, commode, grab bars, toilet paper dispenser, towel holder and mirror are not accessible. Emergency exits are not clearly marked.

COMMENTS

Self-service. No braille, large print or picture menus. Wait staff will read menu, if requested. Ramp inside restaurant. Public telephone is available, but not accessible. Use house phone. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

PANDA'S**3917 CEDAR SPRINGS****DALLAS, TX****214/528-3818****PARKING**

Not accessible
 Spaces: No information
 Curb Cut(s): None
 Surface: Concrete

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Accessible
 Surface: Stable

INTERIOR DINING

Aisles: Narrow
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Difficult to maneuver wheelchair in restrooms, but can be accomplished. Women's restroom commode is not accessible. Restrooms' stall doors are too narrow. Restrooms' sink hardware and mirror are not accessible. Exit sign was not lit.

COMMENTS

Self-service; wait staff is available for assistance. No braille or large print menus. Wait staff will read menu, if requested. Menu displays pictures. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas service.

PARIGI

**3311 OAK LAWN
DALLAS, TX**

214/521-0295

PARKING

Not accessible
Spaces: No information
Curb Cut(s): None
Surface: Concrete

MAIN ENTRANCE

Not accessible: Stairs only
Door(s): Partially accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: Partially accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Coat rack in front of restrooms must be moved for wheelchair access. Restroom stall doors, commode, grab bars, toilet paper dispenser, sink rim/counter, sink hardware, towel holder and mirror are not accessible. Public telephone is not available. Employees are not familiar with the Relay Texas Service. Emergency exits are not clearly marked. Staff was not willing to answer questions or offer assistance.

COMMENTS

Back entrance is accessible by level ground. No braille or picture menus. Large print menu is available. Wait staff will read menu, if requested.

RUTH'S CHRIS STEAK HOUSE

5922 CEDAR SPRINGS

DALLAS, TX

214/902-8080

PARKING

Not accessible

Spaces: 3

Curb Cut(s): Yes

Surface: Concrete

MAIN ENTRANCE

Accessible: Level ground

Door(s): Partially accessible

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Booths and chairs

Tables: Not accessible

Lounge/Bar: Accessible

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main entrance doors are heavy to open and not levered. Restroom commode, sink rim/counter and towel holder are not accessible. Restroom stall doors too narrow for some wheelchairs. Fire alarm is audible only.

COMMENTS

Van parking available; not designated as van parking. Self-service; wait staff is available for assistance. Braille and large print menus available. No pictures displayed on the menu. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

SPANISH VILLAGE**3839 CEDAR SPRINGS****DALLAS, TX****214/528-9713****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): None
 Surface: Asphalt and loose gravel

MAIN ENTRANCE

Not accessible: Stairs only
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Lounge/bar area is raised with no ramp or elevator available. Stairs to some seating areas. Restrooms have large steps and narrow doorways. Men's restroom stall door, commode, grab bar, sink hardware and mirror are not accessible. Women's restroom stall door, commode, grab bars and mirror are not accessible. Restrooms do not have a toilet paper dispenser.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

THE BRONX**3835 CEDAR SPRINGS****DALLAS, TX****214/521-5821****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Partially accessible
 Stairs to Seating: Yes
 Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Front entrance doors are heavy and narrow. Front entrance door handles are not easy to open. Lounge/bar area has a step up to get to bar stools. Door into restrooms is narrow. Men's restroom stall door, commode, grab bars, sink hardware, towel holder and mirror are not accessible. Women's restroom stall door, toilet paper dispenser, sink hardware and towel holder are not accessible. Women's restroom commode and grab bars are partially accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Dining area has some parts with steps and a ramp. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

UNCLE JULIO'S**4125 LEMMON AVE****DALLAS, TX****214/520-6620****PARKING**

Not accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Some wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Accessible

PROBLEMS IDENTIFIED

Front entrance doors are too narrow and heavy. Interior dining outer area aisles are wide, but center tables are very close together. Men's restroom grab bars are to the side only; toilet paper dispenser, soap dispenser and mirrors are not accessible. Women's restroom grab bars are to the side only; soap dispenser, towel holder and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Braille and large print menus available. No picture menus available. Wait staff will read menu, if requested. Chairs in dining area do not have arms. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

COMPOSITE DR. AREA

Alamo Cafe
10819 Composite Dr
(214) 350-2836

Bennigan's
2410 Walnut Hill
(214) 350-3127

Chili's
10835 Composite Dr
(214) 350-8890

Dave & Buster's
10727 Composite Dr
(214) 353-0649

**Old San Francisco
Steak House**
10965 Composite Dr
(214) 357-0484

T.G.I. Friday's
10811 Composite Dr
(214) 350-0349

Tony Roma's
10945 Composite Dr
(214) 353-0104

**Trail Dust
Steak House**
10841 Composite Dr
(214) 357-3862



ALAMO CAFE

10819 COMPOSITE DR
DALLAS, TX

214/350-2836

PARKING

Not accessible
Spaces: 4
Curb Cut(s): No information
Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp and level ground
Door(s): Partially accessible
Surface: Tile

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Partially accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main entrance door handles are difficult to use. Gravel walk up to entrance to restaurant. Sharp angles in restroom. Restroom doors are heavy to open. Restroom toilet paper dispenser, sink rim/counter, sink hardware, soap dispenser, towel holder and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Parking area has below signage only. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone is available in the restroom ; coin slot is not accessible. Telephone is not amplified.

BENNIGAN'S
2410 WALNUT HILL
DALLAS, TX

214/350-3127

PARKING



Accessible
 Spaces: 6
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS



Accessible

PROBLEMS IDENTIFIED

Path from ramp to main entrance narrows at one point. Main front doors are heavy to open. Lounge/bar area is raised. Restroom sink hardware is not accessible. Fire alarms are audible only.

COMMENTS

Ramp from parking lot to sidewalk has long gentle slope. No braille or large print menus. Menu displays pictures. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

CHILI'S

10835 COMPOSITE DR
DALLAS, TX

214/350-8890

PARKING

Not accessible
Spaces: 2
Curb Cut(s): Yes
Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp and level ground
Door(s): Partially accessible
Surface: Brick

INTERIOR DINING

Aisles: Wide
Seating: Booths and chairs
Tables: Not accessible
Lounge/Bar: Not accessible
Stairs to Seating: None
Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Ramp to main entrance does not have a handrail. Restroom stall doors, sink hardware and mirrors are not accessible. Fire alarms are not audible/visible. Lounge/bar has only high tables, high chairs and booths.

COMMENTS

Wait staff will read menu, if requested. Public telephone is available; coin slot is not accessible. Public telephone is not amplified. Electrical outlet close to telephone for TDD/TTY usage. Employees familiar with the Relay Texas Service.

DAVE & BUSTER'S**10727 COMPOSITE DR****DALLAS, TX****214/353-0649****PARKING**

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Not Accessible: Steep ramp
 Door(s): Partially accessible
 Surface: Not slip resistant

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: One is accessible
 Stairs to Seating: Yes
 Outside Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED


Main front doors are too narrow and heavy. For an accessible route to the interior dining area, go through front door, follow ramp straight through into arcade area, then go to the left. Go to the dining area. One bar area of two is accessible, but the bar counter is too high for patrons in wheelchairs. Men's restroom stall door swings inward; grab bars, sink hardware and towel holder are not accessible. Women's restroom stall door swings inward; grab bars and towel holder are not accessible.

COMMENTS

Fire alarms are audible/visual. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

OLD SAN FRANCISCO STEAK HOUSE**10965 COMPOSITE DR****DALLAS, TX****214/357-0484****PARKING**

Valet
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Opened for you
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Steps to Seating: Yes to 2nd Floor
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Restroom has full cabinets below sink and is not wheelchair accessible. Restroom stall, commode and sink hardware is not accessible. Fire alarms are audible only.

COMMENTS

Ramp to front door is long with gentle slope. No braille, large print or picture menus. Wait staff will read menu, if requested. At time of site survey, restrooms were in the process of being made accessible. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage.

TGI FRIDAY'S
10811 COMPOSITE DRIVE
DALLAS, TX

214/350-0349

PARKING



Accessible
 Spaces: 3
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Ramp and level ground
 Door(s): Opened for you
 Surface: Concrete and tiled bricks

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: No information
 Outdoor Seating: Accessible

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

May be difficult to get over threshold at entrance of restaurant. Steps up to inside door may be difficult to maneuver. Welcome mat needs to be taped down. Soap dispenser in restroom is located behind sink. Sink hardware not easy to use. Lounge/bar is raised.

COMMENTS

Accessible van parking is available. No braille, large print or picture menus. Fire alarms audible/visual. Public telephone available; coin slot is accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage.

TONY ROMA'S
10945 COMPOSITE DRIVE
DALLAS, TX


214/353-0104

PARKING



Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE



Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING



Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS



Partially accessible

PROBLEMS IDENTIFIED

Main front door hard to open but easy to get through. Dim lighting in restaurant. Narrow vestibule between corridor and restroom inside door. Vestibule has wood floor with a 1" drop to restroom carpet. Restroom stall door and sink hardware are not accessible. Pipes in restroom not insulated. Fire alarms are not audible/visual.

COMMENTS

No handicap parking spaces at the time of the site survey; five (5) spaces will be available in future. No braille or large print menus; special items pictured. Wait staff will read menu, if requested. Lounge/bar area is sunken but accessible. Steps to seating, but ramp is available. Braille signage on restroom door. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

TRAIL DUST STEAK HOUSE**10841 COMPOSITE DRIVE****DALLAS, TX****214/357-3862****PARKING**

Partially accessible
 Spaces: 8
 Curb Cut(s): Yes
 Surface: Asphalt and concrete

MAIN ENTRANCE

Accessible: Level ground
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Benches and Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: Some
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Parking area has an adjacent access aisle of 60"; parking space is not wide enough. Main front doors are too narrow and heavy. Men's restroom grab bars are not accessible. Women's restroom stall doors are not wide enough; grab bars are partially accessible, and towel holders are not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Interior seating area has long tables and benches. Fire alarms are audible/visual. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

WEST END AREA

**Butcher Shop
Steak House**
808 Munger
(214) 720-1032

Chuy's
211 N. Record
(214) 747-2838

Dick's Last Resort
1701 N. Market
(214) 747-0001

**Ferrari's Oven
in Brewery Building**
703 McKinney Ave
(214) 954-1112

**Landry's Seafood
House**
306 N. Market
(214) 698-1010

Lombardi's
311 N. Market
(214) 747-0322

Mr. C's Oyster Bar
601 Pacific Avenue
(214) 698-9364

**Newport's
in Brewery
Building**
703 McKinney Ave
(214) 954-0220

Pacific Pearl
601 Pacific Avenue
Suite 100
(214) 745-1688

Sonny Bryan's
302 N. Market
(214) 744-1610

**Spaghetti
Warehouse**
1815 N. Market
(214) 651-8475

**Tolbert's Chili
Parlor**
1800 N. Market
(214) 969-0310

Tony Roma's
310 N. Market
(214) 748-6959



BUTCHER SHOP STEAK HOUSE

808 MUNGER

DALLAS, TX

214/720-1032

PARKING

Not accessible
 Spaces: None
 Curb Cut(s): None
 Surface: No information

MAIN ENTRANCE

Accessible: Lift
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: Not accessible
 Stairs to Seating: Yes
 Outdoor Seating: None

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Lounge/bar area is raised with stairs leading up to it. Restroom stall doors are too narrow and mirrors are not accessible. Fire alarm is not audible/visual.

COMMENTS

Main entrance has a lift to the right side of the stairs. No braille, large print or picture menus. Wait staff will read menu, if requested. Public telephone available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

CHUY'S**211 N. RECORD****DALLAS, TX****214/747-2838****PARKING**

Partially accessible

Spaces: 2

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Not accessible: No information

Door(s): Not accessible

Surface: No information

INTERIOR DINING

Aisles: Wide

Seating: No information

Tables: No information

Lounge/Bar: Not accessible

Stairs to Seating: None

Outdoor Seating: Yes; not accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Free valet parking but must call ahead. Underground parking is limited on Monday through Friday, unlimited on weekend. Lounge/bar has two (2) steps up to it and no ramp. Restroom stall doors are not wide enough and sink rim/counter is not accessible.

COMMENTS

Can park in garage near the elevator. No braille, large print or picture menus. Wait staff is available for assistance. Fire alarm is audible/visual. Public telephone is available; no information about accessibility. No electrical outlet close to the telephone for TDD/TTY usage. Employees are familiar with the Relay Texas Service.

DICK'S LAST RESORT

1701 N. MARKET

DALLAS, TX

214/747-0001

PARKING

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Accessible: Ramp
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Narrow
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED


Main front doors are too heavy and threshold is too high. Restrooms' commodes are not accessible. Grab bars in restrooms are partially accessible. Women's restroom mirror is not accessible. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff will read menu, if requested. Second floor is accessible via a service elevator. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

FERRARI'S OVEN/IN BREWERY BUILDING**703 MCKINNEY AVE****DALLAS, TX****214/954-1112****PARKING**

Accessible
 Spaces: No information
 Curb Cut(s) Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: Ramp and level ground
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Narrow
 Seating: Chairs
 Tables: Accessible
 Lounge/Bar: Yes; no information
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main front door handles are not accessible. Restroom stall doors are not wide enough. Restroom sink hardware, soap dispenser, towel holder and mirror are not accessible. Fire alarms are not audible/visual.

COMMENTS

Must use side door to enter. Main entrance is located in the brewery building: go down hallway and restaurant is located on the right. No braille, large print or picture menus available. Wait staff will read menu, if requested. Public telephone available inside restaurant; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Accessible telephone/outlet available in main hallway of brewery building. Employees are not familiar with the Relay Texas Service.

LANDRY'S SEAFOOD HOUSE**306 N. MARKET****DALLAS, TX****214/698-1010****PARKING**

Not accessible

Spaces: None

Curb Cut(s): No information

Surface: No information

MAIN ENTRANCE

Not accessible: Stairs only

Door(s): Partially accessible

Surface: No information

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Yes; no information

Stairs to Seating: None

Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking is West End community parking and is generally not accessible. Main front doors are too heavy. Restroom toilet paper dispenser and mirror are not accessible. Fire alarms are audible only.

COMMENTS

No braille, large print or picture menus. Wait staff is available for assistance. Outdoor seating is on ground level. Public telephone is available; coin slot is accessible. Telephone is amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

LOMBARDI'S**311 N. MARKET****DALLAS, TX****214/747-0322****PARKING**

Accessible
 Spaces: 1
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Not accessible: Stairs only
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: None
 Outdoor seating: No information

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking in back area; call ahead of time for assistance. Main front doors are too heavy. Lounge/bar area is raised without a ramp. Grab bars in restroom are to the side only. Restroom commode, toilet paper dispenser, sink rim/counter and towel holder are not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. Electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

MR. C'S OYSTER BAR**601 PACIFIC AVE****DALLAS, TX****214/698-9364****PARKING**

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Partially accessible: Ramp
 Door(s) Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

**RESTROOMS**

Not accessible

PROBLEMS IDENTIFIED

Doors to main building are too narrow and heavy, but door at Pacific Avenue is opened for you. Ramp is also available at Pacific Avenue entrance. Restroom stall doors are not wide enough and swing inward. Restroom commode is not accessible. Grab bars in the restroom are to the side only.

COMMENTS

No braille, large print or picture menus. Fire alarms are audible/visual. No public telephone available; counter phone is available. Employees are not familiar with the Relay Texas Service.


NEWPORT'S**703 MCKINNEY AVE/IN BREWERY BUILDING****DALLAS, TX****214/954-0220****PARKING**

Partially accessible

Spaces: 1

Curb Cut(s): Yes

Surface: Asphalt

MAIN ENTRANCE

Accessible: ramp

Door(s): No information

Surface: Stable

INTERIOR DINING

Aisles: Wide

Seating: Chairs

Tables: Not accessible

Lounge/Bar: Yes; not accessible

Stairs to Seating: None

Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Parking space is too narrow with below signage only. Lounge/bar area is sunken with no ramp. Restroom stall doors do not swing outward. Restroom sink hardware and mirror are not accessible. Cigarette machine is located in men's restroom making entryway too narrow for wheelchair. Fire alarm is not audible/visual.

COMMENTS

Best to call ahead to make arrangements for parking and getting into restaurant. Enter at the main entrance for the brewery building, go down the hallway, and restaurant is on the left. Use the side door to get into restaurant. Large print menu is available; no braille or picture menus. Wait staff will read menu, if requested. Public telephone is available in restaurant; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Accessible telephone/outlet is available in main hallway of brewery building. Employees are not familiar with the Relay Texas service.

PACIFIC PEARL

601 PACIFIC AVE, SUITE 100

DALLAS, TX

214/745-1688

PARKING

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Accessible: ramp
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; accessible
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front door into building is too narrow and heavy to open. Door into restaurant is too narrow. Restroom stall doors swing inward. Restroom commode is not accessible. Grab bars in the restroom are at the side only.

COMMENTS

Entrance to building is located at the intersection of Record and Pacific Streets. No braille, large print or picture menus available. Fire alarm is audible/visual. No public telephone available. Employees are not familiar with the Relay Texas Service.

SONNY BRYAN'S**302 N. MARKET****DALLAS, TX****214/744-1610****PARKING**

No information
 Spaces: No information
 Curb Cut(s): No information
 Surface: No information

MAIN ENTRANCE

Not accessible: Stairs only
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

No accessible entrance into building. Main front doors are too narrow and door handles are difficult to maneuver. Restroom grab bars are to the side only. Restroom toilet paper dispenser is not accessible.

COMMENTS

Self-service; wait staff is available for assistance. No braille, large print or picture menus. Wait staff will read menu, if requested. Outdoor seating is located on ground level. Fire alarm is audible/visual. Public telephone is available; coin slot is not accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

SPAGHETTI WAREHOUSE

1815 N. MARKET

DALLAS, TX

214/651-8475

PARKING

Accessible
 Spaces: 2
 Curb Cut(s): Yes
 Surface: Asphalt

MAIN ENTRANCE

Accessible: ramp
 Door(s): Partially accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Accessible; ramp by request
 Stairs to Seating: None
 Outdoor Seating: None

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front doors are too heavy. Restroom commode and mirror are not accessible.

COMMENTS

Braille and large print menus available. No picture menu available. Wait staff will read menu, if requested. Lounge/bar area is sunken; must request a ramp to enter. Second floor area is accessible via service elevator. Fire alarm is audible/visual. Public telephone is available; coin slot is accessible. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

TOLBERT'S CHILI PARLOR

1800 N. MARKET
DALLAS, TX

214/969-0310

PARKING

Not accessible
Spaces: None
Curb Cut(s): Yes
Surface: No information

MAIN ENTRANCE

Accessible: Ramp
Door(s): Not accessible
Surface: Stable

INTERIOR DINING

Aisles: Wide
Seating: Chairs
Tables: Not accessible
Lounge/Bar: Accessible
Stairs to Seating: None
Outdoor Seating: Accessible

RESTROOMS

Partially accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow and heavy. Restroom stall door swings inward. Restroom toilet paper dispenser and mirror are not accessible. Fire alarms are audible only.

COMMENTS

Front main entrance is not accessible; back entrance is accessible. Braille and large print menus available. Picture menu is not available. Wait staff will read menu, if requested. Second floor dining area; service elevator is available. Upstairs dining area is accessible. Portable courtesy telephone available from bar area. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

TONY ROMA'S

310 N. MARKET

DALLAS, TX

214/748-6959

PARKING

Not accessible
 Spaces: None
 Curb Cut(s): Yes
 Surface: No information

MAIN ENTRANCE

Accessible: Steep ramp
 Door(s): Not accessible
 Surface: Stable

INTERIOR DINING

Aisles: Wide
 Seating: Chairs
 Tables: Not accessible
 Lounge/Bar: Yes; not accessible
 Stairs to Seating: None
 Outdoor Seating: Accessible

RESTROOMS

Not accessible

PROBLEMS IDENTIFIED

Main front doors are too narrow. Lounge/bar area is raised with no ramp to it. Restroom stall doors are narrow. Grab bars in restroom are to the sides only and mounted too low. Restroom mirrors are not accessible. Fire alarms are audible only.

COMMENTS

Ramp entrance to restaurant is to the south of the main entrance. No braille, large print or picture menus. Wait staff will read menu, if requested. Ramp located in interior dining area. Public telephone is available; coin slot is not accessible. Telephone is not amplified. No electrical outlet close to the telephone for TDD/TTY usage. Employees are not familiar with the Relay Texas Service.

Potential Violations

On the next few pages, we have included Potential Violation forms which you can tear out, complete and give to restaurant managers or send to the REACH staff for follow-up. Technical assistance in correcting the problem(s) and complying with ADA will be offered to the manager of each restaurant.

We appreciate your help.

POTENTIAL VIOLATION

Business Name _____

Address _____

Phone Number _____

Date _____

The Public Accommodations Regulations of the Americans with Disabilities Act became effective on January 26, 1992. It appears that you may be in violation of the law. The area(s) of potential violation are checked below:

- Parking
- Curb Cut/Ramps
- Entrance to Facility
- Restrooms
- Telephone/TDD
- Signage
- Access to All Floors
- Accessible Routes Within Facility/Restaurant
- Detectable Warnings/Alarms
- Equivalent Service
- Other (Specify) _____

To avoid a complaint or lawsuit, please seek technical assistance.

Manager: If you have questions call or fax this form to:

REACH of Dallas

Resource Center on Independent Living

8625 King George #210

Dallas, TX 75235

Voice: (214) 630-4796

FAX: (214) 630-6390

TDD (214) 630-5995

POTENTIAL VIOLATION

Business Name _____

Address _____

Phone Number _____

Date _____

The Public Accommodations Regulations of the Americans with Disabilities Act became effective on January 26, 1992. It appears that you may be in violation of the law. The area(s) of potential violation are checked below:

- Parking
- Curb Cut/Ramps
- Entrance to Facility
- Restrooms
- Telephone/TDD
- Signage
- Access to All Floors
- Accessible Routes Within Facility/Restaurant
- Detectable Warnings/Alarms
- Equivalent Service
- Other (Specify) _____

To avoid a complaint or lawsuit, please seek technical assistance.

Manager: If you have questions call or fax this form to:

REACH of Dallas

Resource Center on Independent Living

8625 King George #210

Dallas, TX 75235

Voice: (214) 630-4796

FAX: (214) 630-6390

TDD (214) 630-5995

POTENTIAL VIOLATION

Business Name _____

Address _____

Phone Number _____

Date _____

The Public Accommodations Regulations of the Americans with Disabilities Act became effective on January 26, 1992. It appears that you may be in violation of the law. The area(s) of potential violation are checked below:

- Parking
- Curb Cut/Ramps
- Entrance to Facility
- Restrooms
- Telephone/TDD
- Signage
- Access to All Floors
- Accessible Routes Within Facility/Restaurant
- Detectable Warnings/Alarms
- Equivalent Service
- Other (Specify) _____

To avoid a complaint or lawsuit, please seek technical assistance.

Manager: If you have questions call or fax this form to:

REACH of Dallas

Resource Center on Independent Living

8625 King George #210

Dallas, TX 75235

Voice: (214) 630-4796

FAX: (214) 630-6390

TDD (214) 630-5995



Index

A

ADDISON CAFE	4
ALAMO CAFE	117
ARCADIA BAR	65
ATCHAFALAYA CAFE	5
ATLANTIC CAFE TOO!	6

B

BABY ROUTH	80
BAKER'S RIB	52
BAY STREET	7
BEAU NASH RESTAURANT	81
BELLA VITA	8
BENEDICTS	9
BENNIGAN'S	10, 118
BLACK-EYED PEA	11, 102
BLUE GOOSE CANTINA	66
BUFFALO CLUB	82
BUTCHER SHOP STEAK HOUSE	126
BY GEORGE!	67

C

CAFE CAPRI	12
CAFE GECKO	13
CANTINA LAREDO	14
CARIB-B	68
CHILI'S	15, 119
CHUY'S	127
COPELAND'S	16
CREMORA BISTRO	83
CRESCENT GOURMET	84

D

DAVE & BUSTER'S	120
DEEP ELLUM CAFE	53
DICK'S LAST RESORT	128
DREAM CAFE	85

E

EAST WIND	54
EDUARDO'S ACA Y ALLA	55
EL GALLO DE ORO	103
EWALD'S	86

F

FERRARI'S OVEN/IN BREWERY BUILDING	129
FORBIDDEN CITY	17
FUDDRUCKERS	18, 87

G

GOOD EATS	19
GRADY'S AMERICAN GRILL	20
GREENVILLE AVE BAR & GRILL	69

H

HERRERA	104
HOUSTON'S	21
HUMPERDINKS	22

I

ICE HOUSE	56
---------------------	----

J

J. PEPE'S @ QUADRANGLE	88
JASMINE	23
JASON'S DELI	24
JAY'S CAFE	57
JOHN'S CAFE	70
JOZEF'S SEAFOOD RESTAURANT	89
JUDGE BEANS	25

K

KEY WEST GRILL	26
KOBE STEAK RESTAURANT & LOUNGE	27

L

LA MADELEINE	105
LADY PRIMROSE	90
LANDMARK CAFE/IN OMNI MELROSE HOTEL	106
LANDRY'S SEAFOOD HOUSE	130
LAWRY'S PRIME RIB	107
LES SAISONS	108
LOMBARDI'S	131

M

MAGIC TIME MACHINE	28
MAIN STREET NEWS	58
MASSIMO'S DA MILANO	29
MAY DRAGON	30

McARTHUR'S/IN THE HARVEY HOTEL	31
MERCADO JUAREZ	32
MI PIACI	33
MIA'S	109
MONTE CARLO/IN THE GRAND KEMPINSKI	34
MR. C'S OYSTER BAR	132
MR. SUSHI	35
MUCKY DUCK	36

N

NERO'S	71
NEWPORT'S	133

O

OLD SAN FRANCISCO STEAK HOUSE	121
ON THE BORDER	37
OSTERIA DA MOMO	59

P

PACIFIC PEARL	134
PANDA'S	110
PARIGI	111
PHIL'S NATURAL EATS CAFE	60

Q

QUADRANGLE GRILL	91
----------------------------	----

R

REMINGTON'S SEAFOOD GRILL	38
ROMANO'S MACARONI GRILL	39
RUGGERI'S	92
RUTH'S CHRIS STEAK HOUSE	112

S

S & D OYSTER COMPANY	93
SAM'S CAFE	94
SAMBUCA	61
SAN FRANCISCO ROSE	72
SCURO	62
SFUZZI	40, 95
SHONEY'S	41
SIMPLY FONDUE	42, 73
SNUFFERS	43
SOLLY'S BARBEQUE	44
SONNY BRYAN'S	135
SPAGHETTI WAREHOUSE	45, 136
SPANISH VILLAGE	113
ST. MARTIN'S	74
STONELEIGH P'S	96
SWEET ENDINGS	63

T

TAIWAN RESTAURANT	46
TERILLI'S	75
TEXAS TUMBLEWEED STEAK HOUSE	47
TGI FRIDAY'S	48, 122
THE 8.0	97
THE BRONX	114
THE CONSERVATORY	98
THE GRAPE	76
THE NEW BIG WONG	77
THE PROMENADE/IN THE MANSION ON TURTLE CREEK	100
TIA'S	49
TOLBERT'S CHILI PARLOR	137
TONY ROMA'S	50, 123, 138
TRAIL DUST STEAK HOUSE	124

U

UNCLE JULIO'S 115

W

WATEL'S 99

**A Handy Access Guide to
Dallas Area Restaurants:**
• Addison • Composite Dr. • Lower
Greenville • Deep Ellum • West End •
McKinney Ave. • Oak Lawn/Cedar Springs